JANUARY 2025

APPLIED CHEMISTRY

Time Allowed: 3 Hours

Full Marks: 60

Answer to Question No. 1 of Group A must be written in the main answer script. In Question No. 1, out of 2 marks for each MCQ, 1 mark is allotted for right answer and 1 mark is allotted for correct explanation of the answer.

Answer any Five (05) Questions from Group-B.

GROUP-A

Choose the correct answer from the given alternatives and explain your answer (any ten): 2×10=20

- Number of sub-shells present in M-shell is (a) 2 (b) 3 (c) 4 (d) 5
- ii. pH of 0.01(M) H_2SO_4 solution is (a) 2 (b) 0.1 (c) 1.7 (d) 0.01
- iii. 1 ppm is equal to (a) 106 mg/L (b) 1gm/L (c) 10 mg/L (d) 1mg/L
- iv. In the ground state, an element has 13 electrons in the M-shell, the element is (a) Chromium (b) Iron (c) Nickel (d) Copper
- v. Distilled water contains (a) only H⁺ & OH⁻ ions (b) dissolved gases only (c) Na⁺ & Cl⁻ ions only (d) micro organic bodies only

- vi. Which element is not suitable to form H-bond? (a) Cl (b) F (c) O (d) C
- vii. During the metal extraction from ore, froth flotation process is

 performed for (a) Sulphide ore (b) Carbonate ore (c) Oxide ore (d) Sulphate ore
- viii. Proximate analysis of coal involves the estimation of % of (a) carbon, hydrogen, ash (b) moisture content, volatile matter, ash, free carbon (c) moisture content (d) volatile matter, free carbon.
- ix. Which of the following is not a characteristic property of good lubricant? (a) high volatility (b) high thermal stability (c) high oiliness (d) high viscosity index

- Setting and hardening of cement involves (a) hydrolysis and neutralization (b) hydration and neutralization
 (c) hydration and hydrolysis (d) dehydration and hydrolysis.
- xi. The synthesis of which of the following polymers require the loss of water molecules on a regular basis? (a) Polythene (b) Buna-N (c) Nylon-6,6 (d) Buna-S
- xii. The chemical added to detect leakage from LPG cylinder is (a) TEL (b) iso-octane (c) iso-butane (d) ethyl mercaptan
- xiii. The amount of electricity required to produce 12 gm of O₂ at respective electrode from acidulated water is—(a) 1 F (b) 2 F (c) 1.5 F (d) 0.5 F
- xiv. Oxidation number of O in H_2O_2 is (a) -2 (b) +2 (c) -1 (d) +1
- xv. Octane number of petrol is calculated considering the percentage of (a) Isoprene (b) iso-octane (c) n-hexadecane (d) iso-butane.

GROUP-B

- 2. (a) How hydrogen atomic spectra can be explained from Bohr model?
 - (b) State Hund's rule of maximum multiplicity and explain it with proper example.
 - (c) Find all the quantum numbers of the last two electrons of O2-ion.

(2+3+3)

- (a) Explain why ethyl alcohol has higher boiling point than dimethyl ether though they have same molecular formula.
 - (b) Mention two structural differences between graphite and diamond.
 - (c) Hybridisation of N is same in both NH₄⁺ ion and NH₃ molecule although geometry of NH₄⁺ ion is regular tetrahedral but NH₃ molecule is distorted tetrahedral. Explain why?

(3+2+3)

- 4. (a) Why hard water does not produce lather easily on mixing with soap?
 - (b) Write down the principal and chemical reaction involved in resin process of softening of hard water.
 - (c) An exhausted zeolite softner was regenerated by carefully passing 117 litres of NaCl solution having strength 50 gm/lit of NaCl. If hardness of water is 500 ppm, calculate the total volume of water softened by this softner. [Given; Mol.Wt. of NaCl and CaCO₃ are 58.5 and 100 respectively.]
 (2+3+3)

- (a) Explain with chemical reaction setting and hardening of Portland cement. 5.
 - (b) Classify lubricants with proper example.
 - (c) Explain the statement-'octane number of a sample gasoline is 60'.

(3+3+2)

- (a) Define calcinations and roasting.
 - (b) Why cryolite is added during extraction of Al from Al₂O₃?
 - (c) State the composition of producer gas and bio gas.
 - (d) What is vulcanisation of rubber?

(2+2+2+2)

- (a) Mention the reaction occurring in blast furnace during iron extraction. 7.
 - (b) Explain electrolytic refining of copper metal.
 - (c) Describe the principal of cathodic protection.

(3+3+2)

- (a) A current of 2.5 A is passed through two electrolytic cells containing ZnSO4 and NiSO4 solution for an hour. Find the ratio of the masses of zinc to nickel deposited at the respective electrodes. [At. Wt. of Zn and Ni are 65 & 59 respectively].
 - (b) Establish the relation between equivalent weight and electrochemical equivalent weight.
 - (c) Mention the electrodes used in a dry cell and write down the chemical changes take place at different electrodes in a dry cell? [3+2+(1+2)]

- (a) Calculate the pH of 10⁻⁸(M) HCl solution.
 - (b) What is buffer solution? Give one example of acidic buffer.
 - (c) A high strength brass alloy consists of 70% Cu, 25% Zn and 5% Fe. Find the mole fraction of each metal component.

[Assume Mol Wt. Of Cu, Zn & Fe are 63.5, 65 and 56]

[3+(1+1)+3]