

APPLIED PHYSICS-I

Time Allowed: 2.5 Hours

Full Marks: 60

Answer to Question No. 1 of Group A must be written in the main answer script. In Question No. 1, out of 2 marks for each MCQ, 1 marks is allotted for right answer and 1 marks is allotted for correct explanation of the answer.

Answer any Five (05) Questions from Group-B.

GROUP-A

1. Choose the correct answer from the given alternatives and explain your answer (any ten): $2 \times 10 = 20$

- The dimensional formula of torque is-
 - a) $[M^1 L^2 T^2]$ b) $[M^1 L^2 T^2]$ c) $[M^2 L^2 T^2]$ d) $[M^1 L^1 T^{-2}]$
- Which of the following pairs does not have the same dimensional formula?
 - a) Force and Thrust, b) Work and Heat, c) Velocity and Angular velocity, d) Acceleration and Acceleration due to gravity.
- The correct number of significant figures in 0.6230 is
 - a) 4 b) 3 c) 5 d) 2
- If the kinetic energy of a body increase by 100%, then momentum of the body increase by -
 - a) 112 % b) 100 % c) 41 % d) 50%
- Angle of banking is independent of-
 - a) velocity of the vehicle b) radius of curvature c) acceleration due to gravity d) mass of vehicle
- Newton-second stands for the unit of
 - a) Energy b) Momentum c) torque d) energy
- On which of the following factor does the moment of inertia of an object not depend upon
 - a) Axis of rotation b) Angular velocity c) Distribution of mass d) Mass of an object.
- In an inclined plane, the relationship between angle of friction, θ and angle of repose, Φ is -
 - a) $\Phi > \theta$ b) $\Phi < \theta$ c) $\Phi = \theta$ d) $\Phi \gg \theta$
- What energy transformation takes place when you turn on an electric light?
 - a) Chemical \rightarrow light + heat b) Chemical \rightarrow electrical + heat c) Mechanical \rightarrow light + heat d) Electrical \rightarrow light + heat
- Angular momentum(L) of a rigid body is equal to (I =Moment of Inertia, ω = angular speed, α = angular acceleration)
 - a) $L = I\omega$ b) $L = \frac{1}{2}I\omega$ c) $L = \frac{1}{2}I^2\omega$ d) $L = I\alpha$
- A load of 98 N is suspended by a wire of length 1 m and cross-sectional area is 0.10 cm^2 . The longitudinal stress will be _____. a) $98 \times 10^4 \text{ N/m}^2$ b) $9.8 \times 10^6 \text{ N/m}^2$ c) 980 N/m^2 d) $9.8 \times 10^3 \text{ N/m}^2$.
- When the detergent is added to Water, its surface tension will
 - a) decreases b) increases c) remains unchanged d) none of these.
- What is the relation between the viscosity of Blood and Water ?
 - a) Both are equal. b) Blood is more viscous than water. c) Water is more viscous than blood. d) They cannot be compared.
- While deducing the relation $C_p - C_v = R$, the amount of gas taken should be -
 - a) Any amount b) n mole c) 1 mole d) 1 gm
- At what temperature, do the Celsius and Fahrenheit scale gives the same reading?
 - a) 40° b) 0° c) -40° d) 72°

GROUP-B
Answer any Five (05) questions.

2. a) Give the name of fundamental physical quantities and their units in S.I. system.
 b) The viscous force (F) acting on a steel ball falling through a viscous liquid may depend on i) radius (r) of the ball, ii) coefficient of viscosity(η) of the liquid and iii) terminal velocity (v) of the steel ball. Find an expression for the viscous force (F) by the method of dimensional analysis.
 c) What do you mean by absolute error and percentage in the measurement? (3+3+2).

3. a) State the principle of conservation of linear momentum.
 b) A 10 kg gun fires a bullet of mass 50g with a velocity of 400 m/s. Find the recoil velocity of the gun.
 c) Give one example of centrifugal force.
 d) Why does a cyclist bend inwards while riding along a curved path? (2+3+1+2)

4. a) What is meant by coefficient of friction and angle of friction?
 b) Prove that the total mechanical energy of a freely falling body under gravity is conserved.
 c) A body of mass 5 kg is dropped from a tower of height 100 m. Calculate the kinetic energy of the body when it hits the ground. (2 + 3 + 3)

5. a) Define the terms angular momentum and the torque. Write down the relation between them.
 b) State perpendicular axes theorem.
 c) An uniform circular disc having diameter 2 m and mass 2 kg undergoes rotational motion. Evaluate the moment of inertia about an axis passing through the centre and perpendicular to its plane. (1+1+1)+2+3

6. a) Define stress, strain and elastic limit.
 b) What do you understand by the statement that Young's modulus of structural steel is $2.0 \times 10^{11} \text{ N/m}^2$?
 c) Draw and explain a typical stress-strain curve for a metal (mild steel). (1+2) +2+ (1+2)

7. a) What is Reynold number ? State the difference between streamline flow and turbulent flow.
 b) A drop of liquid is always tends to acquire spherical shape—Give reason.
 c) Write Bernoulli's Principle and give one example of application where the Bernoulli principle is applied in daily life. (1+2)+2+(2+1)

8. a) Define molar specific heat of a gas at constant volume and at constant pressure. Write the S.I. unit of molar specific heat.
 b) Find the dimension of the coefficient of thermal conductivity.
 c) The walls of a refrigerator are 8cm thick having a surface area 15m^2 . The temperature outside the refrigerator is 35°C . How much power in watt must the refrigerator supply in order to maintain 0°C inside the refrigerator. Thermal conductivity of the material of the refrigerator is $K = 0.42$ S.I. unit. (1+1+1) +2+3

9. a) Define coefficient of volume expansion of a solid substance and write its relation with the coefficient of linear expansion.
 b) State the equation of continuity of a fluid flow. Which conservation law is expressed by the equation of continuity?
 c) What do you mean by the statement "The coefficient of linear expansion of brass is $19 \times 10^{-6} \text{ K}^{-1}$ " ? (2+1)+(2+1)+2